

CORSA Rain Repellent Glass Treatment



PRODUCT NAME: CORSA Rain Repellent Glass Treatment
 PRODUCT ID #: CCC-009
 DATE PREPARED: 02.2010

1. Chemical Product And Company Identification

PRODUCT NAME: CORSA Rain Repellent Glass Treatment
 PRODUCT DESCRIPTION: Rain Repellent Glass Treatment
 MANUFACTURER: Corsa Car Care
 12318 Lower Azusa Road
 Arcadia, CA 91006-5872

2. Composition/Information On Ingredients

HAZARDOUS COMPONENTS	OSHA PEL	ACGIH TLV	TWA	PERCENT
Isopropanol	400ppm	400ppm	500ppm	400ppm

CAS # 67-63-0

Acetone

CAS # 67-64-1 1000ppm 500ppm 500ppm

3. Hazard Identification

PRIMARY ROUTES OF ENTRY:
 Dermal- Yes Ingestion-Yes Inhalation-Yes

POTENTIAL HEALTH HAZARD (Acute and Chronic):

EYES: Causes eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes. SKIN: Concentrate is a skin irritant. Dilutions of this material with water and/or alcohol or other like solvents decrease the potential for skin irritation significantly. INGESTION: Swallowing small amounts is not likely to cause harmful effects. Larger amounts may be harmful. INHALATION: Breathing of vapor or mist is possible. Breathing small amounts of this material is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms usually occur at air concentrations higher than the recommended exposure limits.

CARCINOGENICITY:
 NTP-NO IARC MONOGRAPH-NO OSHA REGULATED- NO

4. First Aid Measures

EYES: Remove individual away from exposure and into fresh air. Flush immediately with clean, free flowing water for 15 minutes. Seek immediate medical attention. SKIN: Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist seek immediate medical attention. INGESTION: Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth. Place individual on the left side with the head down. Contact physician and/or poison control for advice whether to induce vomiting. INHALATION: Remove person to fresh air. If not breathing, administer artificial respiration including oxygen. Seek immediate medical attention. Provide medical attention.

5. Fire Fighting Measures

FLAMMABLE PROPERTIES

FLASH POINT: 53° F METHOD USED: Closed cup

FLAMMABLE LIMITS LEL: 2° F UEL: 12° F

EXTINGUISHING MEDIA: Water, CO2, Dry Chemical, Foam.

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus when fighting fires involving chemicals.

UNUSUAL FIRE AND EXPLOSION HAZARD: Flammable

6. Accidental Release Measures

Observe precautions from other sections. Collect any spills with absorbent material such as vermiculite. Place collected material in a polyethylene lined metal container and seal. Clean up residue with water.

NA=Not Applicable N/A=Not Available ND=Not Determined

7. Handling And Storage

Containers of this material may be hazardous when emptied. Avoid contact with eyes. Avoid prolonged and repeated skin contact. Avoid breathing vapors. Use with adequate ventilation. Any use of this product in elevated temperature processes should be thoroughly evaluated to establish and maintain safe operating conditions. Store in a cool dark place. See other precautions listed elsewhere within this MSDS.

8. Exposure Controls/Personal Protection

RESPIRATORY PROTECTION: An approved respirator must be worn.

LOCAL EXHAUST: Recommended to keep air contaminant concentration below the OSHA's PEL and ACGIH's TLV (if any are listed herein).

MECHANICAL EXHAUST: General ventilation system should be provided.

PROTECTIVE GLOVES: Neoprene rubber gloves.

EYE PROTECTION: Safety goggles with side shields and a face shield.

OTHER PROTECTIVE EQUIPMENT: Eyewash equipment. Apron, coveralls, boots as necessary to prevent skin contact. Safety shower.

WORK/HYGIENIC PRACTICES: Wash hands thoroughly before handling foodstuffs, liquids, or tobacco products.

OTHER HEALTH HAZARDS: If TLV of any component of the product is exceeded, a NIOSH/MSHA jointly approved respirator must be supplied to personnel and used in accordance with OSHA Regulations. Respiratory protection programs must be in accordance with 29CFR 1910.134

9. Physical And Chemical Properties

BOILING POINT:	(deg. F): 180
VAPOR PRESSURE:	(68 deg. F) < 1
VAPOR DENSITY:	(Air=1.0) > 1
SOLUBILITY IN WATER:	Mostly soluble
SPECIFIC GRAVITY:	(H2O=1) ~.8
VOLATILE BY VOLUME:	~96%
VOC CONTENT:	~9RTU
VOC EXEMPT COMPONENTS:	~2RTU
EVAPORATION RATE:	(Ether=1) < 1
APPEARANCE:	Colorless
ODOR:	Characteristic
NA=Not Applicable N/A=Not Available	ND=Not Determined

10. Stability And Reactivity

STABILITY (CONDITIONS TO AVOID): None known.

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid contact with acetaldehyde, acids, chlorine, ethylene oxide, isocyanates strong oxidizing agents, Do not use with aluminum equipment at temperatures above 120 deg. F.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: May form carbon dioxide and carbon monoxide.

HAZARDOUS POLYMERIZATION: Will not occur.

11. Toxicological Information

No information available.

12. Ecological Information

No information available.

13. Disposal Considerations

Dispose in accordance with Federal, State, and Local Regulations .

14. Transport Information

PROPER SHIPPING NAME: Flammable Liquids , N.O.S
 UN NUMBER: 1993,II

15. Regulatory Information

CORSA Rain Repellent Glass Treatment has no ingredients subject to reporting requirements of SARA 313 and 40 CFR 372.

NA=Not Applicable N/A=Not Available ND=Not Determined

16. Other Information

IMPORTANT NOTICE

The information presented in this publication is believed to be accurate. However, NO WARRANTY OF FITNESS OR MERCHANTABILITY or of any kind, either expressed or implied, is made regarding the product described herein or the information or recommendations contained herein. Since the conditions of use, handling and storage of this product are not within Corsa Car Care's control, Corsa Car Care assumes no liability or responsibility with respect to personal injury or property damage resulting there from or with respect to results obtained from use of CORSA Rain Repellent Glass Treatment.